



INDEX MAPS.

T. 5 N R. 6 W 2nd Mer.



T. 6 N R. 6 W 2nd Mer.



The figures on the lines refer to the page.

Township No 5 North of Range No 6 West 2nd Mer. Ind. 1
 Ch. 1st.

South Boundary.

Meet At the South Boundary of sec. 36 T. 5 N. R. 6 W.
 7.00 To a Brook 6 links wide, course N 20 E.
 40.00 Set a 7/8 sap post in prairie
 80.00 Set a post in the Edge of the Woods for the cor of sec. 35 T. 5 N. R. 6 W.
 from which Jack Oak 12 in. diam. bears S 28 W 24 links each
 and a " " 13 " " " S 89 W 26 " "
 Stand but prairie.

Meet At the South Boundary of sec. 35 T. 5 N. R. 6 W.
 3.50 To a Brook 4 links wide, course N.
 24.20 To a Jack Oak 30 in. diam. stands in the line.
 40.00 Set a 7/8 sap post from which
 Jack Oak 12 in. diam. bears S 83 E 45 links each; &
 Elm. 8 " " " North 43 " "
 51.27 To an Elm. 30 in. diam. stands in the line.
 80.00 Set a post for the cor of sec 34 T. 5 N. R. 6 W. from which an
 Elm. 14 in. diam. bears N 77 W. 11 links each; &
 Jack Oak 7 " " S 36 W 34 " "
 Stand but Tomba Oak. Hickory and Elm.

March 5. 1865.

Meet At the South Boundary of sec. 34 T. 5 N. R. 6 W.
 36.50 To a Brook 50 links wide, course N 40 W
 40.00 Set a 7/8 sap post from which
 Poplar 14 in. diam. bears N 84 W. 8 links each; &
 Walnut 20 " " " S 8 W 36 " "
 50.29 To a large Swamp which spreads over several miles
 forming a number of columns of dry land.
 80.00 corner of sec. 33 & 34 in Swamp. Stand but Poplar Oak & Elm

Meet At the South Boundary of sec. 33 T. 5 N. R. 6 W.
 40.00 Set a 7/8 sap post in Swamp.

D. N. 5 N. R. N. 6 W. 2nd Mer. Ind.

70.00 To the North side of Swamp
 80.00 Set a post for the cross at 32 & 33 from which a
 Swamp Oak 7 in. diam. beam. N 41 W. 17 links each; & 3
 Elm. 22 " " " N 16 W. 27 " "
 Sunde hole and descent out. Timber Oak, Elm, Maple

West Out the South Boundary of Sec. 32. T. 5 N. R. 6 W.
 10.00 Set a 7/8 post from which a
 W Oak. 20 in. diam. beam. S 72 E. 14 links each; & 3
 Elm. 10 " " " N 45 E. 26 " "
 53.80 To a Poplar 48 in. diam. stands in the line.
 65.00 To a knick 300 links in, course S 30 W.
 The stream appeared to be the outlet of a large pond
 in swamp.
 80.00 Set a post for the cross at 31 & 32. From which a
 Elm. 12 in. diam. beam. N 75 E. 42 links each; & 2
 Elm. 10 " " " S. 62 W. 7 " "
 Sunde hole and notch; Timber Elm, Maple, Gum,
 Poplar, & Oak,

West Out the South Boundary of Sec. 31. T. 5 N. R. 6 W.
 26.17 To a W Oak. 12 in. diam. stands in the line.
 40.00 Set a 7/8 post from which a
 W Oak. 5 in. diam. beam. N 70 W. 28 links each; & 3
 Red Oak. 8 " " " S. 49 W. 48 " "
 65.00 To a W Oak, 8 in. diam. stands in the line.
 80.30 To the post on Range line cor of Sec. 4 & 5 N. R. 6 W.
 Sunde hole and notch; Timber Oak, Elm, & Poplar.
 March 6th 1805.

East Boundary.

North Out the East Boundary of Sec. 36. T. 5 N. R. 6 W.
 40.00 Set a 7/8 post from which a

3

T. N. 5 N. R. N. 6 W. 2nd Mer. Ind.

- Act. 12 in deer beams N 79 W. 12 miles each, to
 Hunt 78 " " " N 63 E. 38 " "
 62.00 To a Brook. 30 miles, course W.
 68.30 Set a post in the South 1 Boundary of Harrison's Purchase or Stramond line for the cor of sec. 36. From which a Red Oak. 18 in. diam. beam. S 20 E. 99 miles each, to
 Co. 94 " " " N 7 E. 95 " "
 Land generally barren. Scattering Oak & Hickory
 Surveyed by
 Robt. Smith & Jacob Smith. 1857
- North Continued the line. On the East 1 Boundary of sec. 36
 20.00 Set a post (Old line.) N 6° 15'
 67.50 To a Brook. 10 miles, course W.
 80.00 Set a post for the cor of sec. 25 & 36. T. 5 N. R. 6 W.
 33.00 To a Brook. 12 miles, course W.
 40.00 Set a post
 80.00 Set a post for the cor. of sec. 24 & 25. in the prairie.

-
- North On the East Boundary of sec. 24. T. 5 N. R. 6 W.
 40.00 Set a post (bearings omitted)
 60.00 To timbered land.
 80.00 Set a post for the cor of sec. 13 & 24 from which,
 43 Oak. 20 in. diam. beam. S 15 W. 23 miles each, to
 Co. 20 " " " N 22 W 20 " "
 Timber Oak & Hickory

-
- North On the East Boundary of sec. 13. T. 5 N. R. 6 W.
 32.00 To a Spring branch
 40.00 Set a post from which,
 40m. 8 in. diam. beam. S 6 E. 24 miles each, to
 Co. 94 " " " N 53 W 8 " "
 80.00 Set a post for the cor of sec. 12 & 13 from which,
 43 Oak. 25 in. diam. beam. S 34 E. 37 miles each, to

T. N. 5 N. R. N. 6 W. 2nd Mer. Sud:

W Oak. 12 in. diam. butt. N 57 W. 28 links out;
 Sand rolling Timber Oak & Hick

North On the East Boundary of sec. 12 T. 5 N. R. 6 W.
 40.00 Set a 7/8 in. post from which,

Mark 10 in. diam. butt. N 81 W. 16 links out; 1/2
 Do. 10 " " " N 33 E 31 " "

80.00 Set a post for the cor. of sec. 1. 1/2 from which,
 W Oak. 12 in. diam. butt. N 73 W. 3 links out; 1/2
 Spruce 8 " " " N 51 E. 17 " "
 Sand soil and timber same as last mile.

North On the East Boundary of sec. 1 T. 5 N. R. 6 W.
 40.00 Set a 7/8 in. post from which,

W Oak. 20 in. diam. butt. N 19 E. 42 links out; 1/2

82.82 Set a post for the cor. of T. 5 N. R. 6 W. from
 which W Oak. 20 in. diam. butt. N 66 W. 44 links out;
 under Do. 18 " " " N 49 E. 40 " "
 Sand soil and timber same.

North Boundary.

West On a Random line On the South Boundary of sec. 36.
 T. 6 N. R. 6 W.

40.00 Set a temporary 7/8 in. post

80.00 " " " Post for the cor. of sec. 35 & 36.
 Sand rolling Timber Oak & Hick

West On a Random line On the South Boundary of sec. 35

40.00 Set a temporary 7/8 in. post

80.00 " " " Post for the cor. of sec. 34 & 35
 Sand bushy

West On a Random line On the South Boundary of sec. 34

5

T. N. 5 N.R. N. 6 W. 2nd Mer. Ind.

401 T. N. 6 N.R. N. 6 W.

40.00 Set a temporary 7/4 to post

80.00 " " " Post for the cor of sec 33 & 34
 Surround some brushy

West Oak Run line Oak South Boundary of sec 33.
 T. 6 N.R. 6 W.

40.00 Set a temporary 7/4 to post

80.00 " " " Post for the cor of sec 32 & 33
 This post stands on Rich land; Timber Poplar, Oak,
 Walnut, &c.

West Oak Run line Oak South Boundary of sec 32
 T. 6 N.R. 6 W.

9.50 To White River Left Bank.

19.80 " " " Right Bank.

80.00 Set a temporary post for the cor of sec 31 & 32.
 Surround the same. Rich &c.

West Oak Run line Oak South Boundary of sec 31
 T. 6 N.R. 6 W.

40.00 Set a temporary 7/4 to post at one end

85.28 Intersect the N.W. 1/4 Range line 28 ch. South of the
 Section corner.

East Oak Run line Oak South Boundary of sec 31.
 T. 6 N.R. 6 W. Established the cor of T. 5 N. 7 W.

N. 6 W. 15 ch. South of the cor of T. 5 N. 7 W.

From which Mulberry 12 in diam. N 20 E 40 ch. and
 and on Elev. 15 " " " 84 E. 57 " "

East From the corner above established. Var. 500

45.28 Set a 7/4 to post on the true line from which
 Oak 12 in diam. S 78 W. 22. Under oak, 15

T. N. 5 N.R. N. 6 W. 2nd Mer. Ind.

85.28 Went 10 in. clear beam. N 26 W. 23 links each; 1
 Set a post on the true line for the corner 31 & 32 from which
 Locust 20 in. clear beam. N 24 E. 24 links each; 1
 Ash. 12 " " " S 80 W 36 " "

East On the true line On the South Boundary of sec. 32.
 40.00 Set a 7/8 in post on the true line from which
 Buckeye 9 in. clear beam. N 44 W. 9 links each; 1
 Sugar. 10 " " " S 39 E. 15 " "
 60.20 To a Buckeye. 10 in. clear beam. Stand for cor of sec. 32 on
 the Right Bank of White River.
 70.50 Set a post on the Left Bank of White River for the
 cor of sec. 32. From which
 Yellow. 10 in. clear beam. N 30 W. 12 links each; 1
 Do. 9 " " " N 62 W 15 " "
 80.00 Set a post for the corner 32 & 33. From which
 Buck. 9 in. clear beam. S 59 W 9 links each; 1
 Hackberry 8 " " " S 9 E. 14 " "

East On the true line On the South Boundary of sec. 33.
 T. 6. N. R. 6 W.
 40.00 Set a 7/8 in post on the true line from which
 Locust 20 in. clear beam. N 34 W. 21 links each; 1
 Buck. 8 " " " N 84 E. 31 " "
 80.00 Set a post for the corner 33 & 34. From which
 Hackberry 9 in. clear beam. S 65 W. 10 links each; 1
 Do. 10 " " " S 12 W 22 " "

East On a true line On the South Boundary of sec. 34.
 T. 6. N. R. 6 W.
 40.00 Set a 7/8 in post on the true line from which
 Elm. 12 in. clear beam. S 12 W 20 links each; 1
 Do. 18 " " " N 44 W 61 " "

7

T. N. 5 N. R. N. 6 W. 2nd Mer. Ind.

80.00 Set a post for the cor off lat. 34 & 35. from which a
 W Oak 10 in. diam. bears N 84 W. 110 links east; &
 Y Oak 6 " " " N 52 E. 68 " "

East On the true line On the South Boundary of lat. 35.
 T. 6 N. R. 6 W

42.00 Set the 1st post on the true line no timber met.

80.00 Set a post for the cor off lat. 35 & 36. from which a
 R Oak 20 in. diam. bears S 21 E. 27 links east; &
 Red 24 " " " N 13 W 54 " "

East On the true line On the South Boundary of lat. 36.
 T. 6 N. R. 6 W

40.00 Set a 1st post on the true line from which a
 Hickory in diam. bears N 86 E. 40 links east;

80.00 To Iron corner. T. 5 N. R. 5 W.

Surveyed by
 Arthur Keenins. 10th

West Boundary

North On the East Boundary of lat. 36. T. 5 N. R. 7 W.

35.00 Open prairie much grass

40.00 Set a 1st post in Open prairie

80.00 " " post for the cor off lat. 25 & 36. in prairie, no trees.
 Corn barrens. Some Oak & Hickory.

North On the East Boundary of lat. 25 T. 5 N. R. 7 W

30.00 Some timber

40.00 Set a 1st post from which a

W Oak 13 in. diam. bears N 60 E. 44 links east; &

Sum. 10 " " " N 23 W 10 " "

41.00 To stump: Yellow ash & Elm.

46.00 " " Brook. 20 links lower S. W.

T. No 5 N. R. No 6 W. 2nd Mer Ind.

53.00 To 2nd rate bottom land, Timber Ash Elm.
 67.06 To an Oak 36 in dia: stands in the line
 80.00 Set a post for the cor of sec. 24 & 25. from which an
 Oak 10 in. dia: runs. S 14 W 32 links dist; & an
 Do 8 " " " N 42 W 47 " "
 Over open prairie

North Oak East Boundary of sec. 24. T. 5 N. R. 7 W
 15.00 To 1st rate upland
 26.16 To an Oak 12 in dia: stands in the line.
 33.00 To a Run 15 links wide, runs N. W.
 40.00 Set a 7/8 post from which an
 Oak 12 in. dia: runs. S 14 W 22 links dist; & an
 Do. 8 " " " S 42 W 25 " "
 50.40 Intersect the Indian or South Boundary of Har-
 ris's Purchase and set a post for the cor of sec. 24
 from which an Oak 18 in. dia: runs. S 7 E 35 links dist
 and an Elm. 16 in " " S 33 W 42 " "
 Land 1st rate bottom; Timber Ash Elm & Maple
 Surveyed by
 Stephen Benton D.S.

North Oak East Boundary of sec. 24. T. 5 N. R. 7 W
 40.00 To 7/8 post set by Benton.
 69.22 To a cottonwood 40 in dia: stands in the line
 80.00 Set a post for the cor of sec. 13 & 24 from which an
 Box Elm. 18 in. dia: runs. S 38 W 6 links dist; & an
 Hoop Oak 10 " " " S 36 E 35 " "

North Oak East Boundary of sec. 13. T. 5 N. R. 7 W
 Offsets East 5.00 ch. then North 25.00 ch. then
 West 5.00 to the line; then South 5.00 ch. to a
 Willow 12 in dia: on the bank of River
 20.00 Set a 7/8 post from which

- Hickory 14 in. diam. trees. N 16 E. 24 butts each; & 9
 Hoop Oak. 12 " " " S 36 W. 14 " "
 40.00 To the above named post.
 54.50 To a Maple 8 in diam. stands on the bank of River
 Offsets East 45. Ch. thence N. 15.50 thence West. 20.00
 to the River thence South 5.00 thence West 9.00 to Large
 Pinyon; continued the Range line on Feb 13 over the River
 Asycanum 18 in diam. stands on the Right Bank.
 80.00 Set a post for the cor of sec. 12 & 13. from which a
 Hoop Oak. 10 in. diam. trees. N 14 E. 7 butts each; & 9
 ' Loc. 18 " " " S 36 W. 15 " "

- North On the East Boundary of sec. 12. T. 5 N. R. 6 W.
 24.00 Set a post on the ~~Left~~ Right Bank of W. River from which a
 W. Walnut. 18 in. diam. trees. N 55 E. 8 butts each; & 9
 Red bud. 8 " " " S 30 W. 34 " "
 29.83 To a cottonwood 15 in the ~~Left~~ Right Bank of River
 40.00 Set a 7/8 post from which a
 Hoop Oak. 18 in diam. trees. N 27 W 8 butts each; & 9
 Mulberry 20 " " " S 53 E. 16 " "
 78.50 To the River & set a post from which a
 Paw Paw. 9 in. diam. trees. S 34 E. 38 butts each; & 9
 Hoop Oak. 14 " " " S 15 W. 27 " "
 84.00 Corner of sec 1 & 12 in the River.
 River 4.00 from Stake to Santa Beach, & 10.00 to
 Post on the N. Bank.

- North On the East Boundary of sec. 1. T. 5 N. R. 7 W.
 February. 7. 1811
 35.0. Set a post on the ~~Right~~ Left Bank of White River from
 which a Maple 5 in diam. trees. N 79 W 10 butts each; &
 a Cottonwood 12 " " " N 55 E. 16 " "
 10.75 To Cottonwood 24 in. diam. stands on the line

11

T. N. 5 N. R. N. 6 W. Q. and P. S. S. S.

East On a Random line between Sur. 25 & 36. T. 5 N. R. 6 W.
 40.00 Set a temporary 1/4 la post
 45.00 Prains
 80.20 Intersect the East Boundary of the post cor. of Sur. 25 & 36
 Land the same as last note.

North On the true line Between Sur. 25 & 36. T. 5 N. R. 6 W.
 40.10 Set the temporary 1/4 la post at ar. dish on the true line from
 which. N. 20 in. diam. beam. N 62 E. 4 links that goes
 under Newby 10 " " " " N 40 W. 20 " "
 80.20 To the post cor. of Sur. 25, 26, 35 & 36.

North Between Sur. 25 & 26. T. 5 N. R. 6 W.
 40.00 Set a 1/4 la post from which
 Nape. 10 in. diam. beam. N 18 E. 8 links each; 85
 L. 10 " " " " S 53 W. 26 " "
 77.80 To a Gum. 10 in. diam. Stand on the line.
 80.00 Set a post for the cor. of Sur. 23, 24, 25 & 26. from which
 Nape. 18 in. diam. beam. S 80 W. 40 links each; 85
 L. 18 " " " " S 73 E. 14 " "
 Land same as last note.

East On a Random line between Sur. 24 & 25 T. 5 N. R. 6 W.
 35.00 Prains
 40.00 Set a temporary 1/4 la post
 80.00 Intersect the East Boundary 10 links South of the
 post cor. of Sur. 24 & 25
 Land last;

North On the true line Between Sur. 24 & 25 T. 5 N. R. 6 W.
 40.00 Set the temporary 1/4 la post at ar. dish on the true line from which
 Elm. 20 in. diam. beam. N 80 W. 259 links each; 85
 80.00 To the post cor. of Sur. 23, 24, 25 & 26.

T. N. 5 T. R. N. 6 W. 2nd Mer. Ind.

North Return Lat. 23 & 24. T. 5 T. R. 6 W
 40.00 Set a post from which
 Maple 12 in. diam. bears N 39 W. 43 links north; & 5
 Gum. 12 " " S 29 E. 48 " "
 80.00 Set a post for the cor of lat. 13, 14, 23 & 24 from which
 Hick 10 in diam. bears S 16 E. 24 links north; & 9
 W Oak, 14 " " S 79 W. 60 " "
 Same the same as last units.

East Return Lat. 13 & 24 On a Random line T. 5 T. R. 6 W
 40.00 Set the trip. 7th to post
 80.00 Set at the N. S. line or East Boundary 30 links
 South of the post cor of lat. 13 & 24
 Same setting Timber Oak & Hick

West Return Lat. 13 & 24 T. 5 T. R. 6 W
 40.00 Set a trip. 7th to post at an ditch from which
 W Oak 24 in diam. bears N 1 W 28 links north; & 5
 Elm. 20 " " S 74 W. 85 " "
 80.00 To the post cor of lat. 13, 14, 23 & 24

North Return Lat. 13 & 14. T. 5 T. R. 6 W.
 40.00 Set a post
 58.00 Set a post 10 links from, same N 4 W.
 80.00 Set a post for the cor of lat. 11, 12, 13 & 14 from which
 Apple 12 in diam. bears S 80 E. 16 links north; & 5
 W Oak 18 " " N 41 W 28 " "
 Very good farming land, Timber Oak,
 Hick & S.

East On a Random line between Lat. 12 & 13. T. 5 T. R. 6 W
 37.00 Long Spring corner N
 40.00 Set a trip. 7th to post

T. N. 5 N.R. N. 6 W 2nd (Mm. Ind.)

45.00 To a Brook. 4 miles mid., Lemna N.
 80.00 Intersect the N 45 W line or East Boundary 8
 miles South of the post cor of sec. 12 & 13.
 Same soil and Timber same.

West Quarter line between Sec. 12 & 13 T. 5 N. R. 6 W
 40.00 Set the 7th & 8th post at ar. dish on the line from which,
 4th sec. 8 in. diam. trees. N 35 W. 5 miles each; 4th,
 10th, 7th " " S 49 E. 20 " "
 80.00 To the post cor of sec. 11, 12, 13 & 14.

North Return Sec. 11 & 12 T. 5 N. R. 6 W
 40.00 Set a 7th & 8th post
 80.00 Set a post for the cor of sec. 1, 2, 11 & 12 from which,
 73 Oak. - in. diam. trees. N 75 E 105 miles each; 4th,
 W Oak. 12 " " N 89 W. 85 " "
 Same the same.

East Quarter line between Sec. 1 & 12. T. 5 N. R. 6 W.
 40.00 Set a stump 7th & 8th post
 45.00 To a Brook. 10 miles mid., Lemna N.W.
 80.00 Intersect the East Boundary 10 miles South of the
 post cor of sec. 1 & 12.
 Same soil; Timber Elm, Oak, &c.

West Quarter line between Sec. 1 & 12 T. 5 N. R. 6 W.
 40.00 Set the two 7th & 8th post at ar. dish on the line from
 which, W Oak 18 in. diam. trees. S 31 E. 12 miles each; 4th,
 Elm. 20 " " N 30 W 23 " "
 80.00 To the post cor of sec. 1, 2, 11 & 12.

North Return Sec. 1 & 12 T. 5 N. R. 6 W
 26.00 Drain

T. N. 5 N. R. 6 W. 2nd Mer. Sec.:

40.00 Set a 7th report
 70.00 To timbered land.
 80.21 Interest to T. N. 5 N. R. 6 W. at the spot cor of sec. 35 & 36.
 T. N. 6 W.
 Timbered land Timber Oak & Hickory

North Return Sec 34 & 35. T. 5 N. R. 6 W.
 15.75 To an Elm. 22 in diam stands in the line.
 40.00 Set a 7th report from which
 W. Oak 10 in. diam. bears N 3 W. 16 links out; &
 Elm. 12 " " " S 19 E. 6 " "
 47.00 To large Swamp which extends to Proramant.
 line by Stubbs & Forks. D.S.

North Return Sec 34 & 35. T. 5 N. R. 6 W. by A. Henric
 40.00 Set a 7th report at the old 7th sec. cor.
 50.00 To a Swamp
 80.00 Set a report for the cor of sec. 26, 27, 34 & 35 from which,
 Elm 10 in. diam. bears S 64 W. 15 links out; &
 Oak 18 " " " N 62 E. 11 " "
 Timber very wet and Swampy Timber Gum Oak
 & Hickory

East Return Sec 26 & 35. T. 5 N. R. 6 W.
 This line seems not to be run. (See end of Township)

North Return Sec 26 & 27. T. 5 N. R. 6 W. by Henric.
 40.00 Set a 7th report from which was
 Elm. 10 in. diam. bears S 12 E. 10 links out; &
 W. Oak 7 " " " N 2 E. 10 " "
 80.00 Set a report for the cor of sec. 22, 23, 26 & 27 from which,
 Oak 10 in. diam. bears S 3 W. 22 links out; &
 Oak 6 " " " N 89 W. 6 " "

T. N. 5 N. R. N. 6 W. 2nd Mer. Sud. 15

Sum of the same as last mile.

North	Return Sud. 22 & 23. T. 5 N. R. 6 W.
40.00	Set a 7 th sap post from which a W Oak. 8 in. diam. trunk. 97 ft. E. 23 units north; 8 th Poplar. 12 " " " N 86 W. 26 " "
57.00	Is a Pond 17 chains wide,
77.00	Pravie
80.00	Set a post for the cor of Sud. 14, 15, 22 & 23 n. Pravie.
East	Chas. Random line between Sud. 14 & 23 T. 5 N. R. 6 W.
30.00	Is Timbered Land.
40.00	Set a trap 7 th sap post
52.00	Is a Spring hole 8 units wide, across it.
80.00	Intersect the N 85 12 units South of the post cor off 13, 14, 23 & 24 Sum of all being Sum of Oak & Hickory.
West	Chas. line between Sud. 14 & 23. T. 5 N. R. 6 W.
40.00	Set the trap 7 th sap post at cor. dish on the true line from which a W Oak. 10 in. diam. trunk. N 62 E. 16 units north and a W Oak. 10 " " " S 13 W 26 " "
80.00	Is the post cor off Sud. 14, 15, 22 & 23.
North	Return Sud. 14 & 15 T. 5 N. R. 6 W.
15.00	Is Timbered Land.
40.00	Set a 7 th sap post from which a W Oak. 20 in. diam. trunk. S 5 E. 71 units north; 8 th Do. 120 " " " N 16 W. 31 " "
72.40	Is a W Oak. 20 in. diam. stands in the line.
80.00	Set a post for the cor of Sud. 10, 11, 14 & 15. from which a W Oak. 20 in. diam. trunk. S 8 E. 44 units north; 8 th Do. " " " " West 46 " "

T. P. 5 N.R. No. 6 W 2nd Mer. Ind.

Land rolling Timber Oak & Hickory

Cash Between Lat. 11 & 14 T. 5 N.R. 6 W. On a Mer. dem. line
40.00 Set a trap for 1/4 to 1/2 post
79.90 Intercept the N & S line 14 miles South of the post cor. of
Lat. 11. 12. 13 & 14.
Land good for farming; Timber Oak & Hickory

Wash On the new line between Lat. 11 & 14. T. 5 N.R. 6 W.
39.95 Set the trap for 1/4 to 1/2 post at av. dist. on the new line from
which Gun. 10 in. dist. from. S 65 N 20 miles north; & 9
W Oct. 18. " " S 40 20 " "
79.90 To the post cor. of Lat. 10. 11. 14 & 15.

North Between Lat. 10 & 11 T. 5 N.R. 6 W.
40.00 Set a trap for 1/4 to 1/2 post from which
Hickory 8 in. dist. from. N 65 E 6 miles north; & 9
W. 10 " " " N 13 N 34 " "
65.00 Prairie
80.00 Post cor. of Lat. 2, 3, 10 & 11 in. Prairie

Cash Between Lat. 2 & 11. T. 5 N.R. 6 W.
25.00 To timber land
40.00 Set a trap for 1/4 to 1/2 post
80.25 Intercept the N & S line 20 miles South of the post cor. of
Lat. 1. 2. 11 & 12
Land the same.

Wash On the new line between Lat. 2 & 11 T. 5 N.R. 6 W.
40.00 Set the trap for 1/4 to 1/2 post at av. dist. on the new line from which
Sawdust 10 in. dist. from. S 71 E. 49 miles north; & 5
Elev. 10 " " " S 82 N 50 " "
80.25 To the post cor. of Lat. 2, 3, 10 & 11.

North Return Lat. 273. T. 5 N. R. 6 W.
 25.00 To Met land. Same Timber
 10000 Set a post from which
 73 Oak. 15 in. diam. trees. N 84 W 96 links each;
 79.13 Turn at the N 83 line 83 links. Met of the first crop
 Oak. 34 & 35. T. 6 N. R. 6 W. could set a post for the cor.
 of lat. 273 from which
 73 Oak. 10 in. diam. trees. N 12 W. 27 links each; &
 73 Oak. 20 " " S E. 79 " "
 Same to the same

The following Town line was run by Mr. Hensie. in his
 subdivisions.

West On the South Boundary of lat. 34. T. 5 N. R. 6 W.
 4000 Set a post from which
 Elm. 12 in. diam. trees. N 66.4 links each; &
 12 " " " S 28 W 35 " "
 51.00 To land met ground.
 80.00 Set a post for the crop lat. 33 & 34 from which
 Elm. 12 in. diam. trees. S 39 E. 15 links each; &
 12 " " " N 50 W. 15 " "
 Same as very met; Timber Elm, Ash & Gum.

North Return Lat. 33 & 34 T. 5 N. R. 6 W.
 40.00 Set a post from which
 Gum. 10 in. diam. trees. N 88 E. 108 links each; &
 12 " " " N 86 W. 114 " "
 80.00 Set a post for the crop lat. 27, 28 33 & 34 from which
 Gum 12 in. diam. trees. N 28 W 7 links each; &
 73 Oak. 9 " " S 18 W. 15 " "
 Same met; Timber Gum Ash & Maple.

East On a Random line Return Lat. 27 & 34 T. 5 N. R. 6 W.

T. N. 5 N. R. 6 W. 2nd Mer. Sec. 5

40.00 Set a temporary 7/8 sap post
 79.90 Intersect the N. V. S. line 18 links South of the post cor. of
 Sec. 26, 27, 34 & 35.
 Sand soil and timber same.

Wash Return Sec. 27 & 34. T. 5 N. R. 6 W.
 39.95 Set the temporary 7/8 sap post at av. dist. on the line from
 which a Meaph. 20 in. diam. bears N 72 W. 41 links north;
 under No. 15 " " " S 54 E. 25 " "
 79.90 To the post cor. of Sec. 27, 28, 33 & 34

Wash Return Sec. 27 & 28 T. 5 N. R. 6 W.
 40.00 Set the 7/8 sap post from which a
 diam. 10 in. diam. bears N 57 E. 9 links north; & a
 No. 9 " " " S 38 W. 10 " "
 80.00 Set a post for the cor. of Sec. 21, 22, 27 & 28. From which a
 13 diam. 8 in. diam. bears S 45 E. 4 links north; & a
 No. 8 " " " S 25 W. 22 " "
 Sand soil and timber same.

East Return Sec. 22 & 27 T. 5 N. R. 6 W. Oak Run am.
 40.00 Set a temporary 7/8 sap post
 80.10 Intersect the N. V. S. line 15 links South of the post cor.
 of Sec. 22, 23, 26 & 27.
 This line is over ground that is covered with water.
 Timber Elm, Ash & S.

East Return Sec. 23 & 26. Oak Run am. line. T. 5 N. R. 6 W.
 40.00 Set a temporary 7/8 sap post
 80.15 Intersect the N. V. S. line 12 links South of the post cor. of
 Sec. 23, 24, 25 & 26.
 Sand soil & timber same.

T. N. 3 N. R. 7. 6 W. 2nd Mer. Ind. 19

North	Between Sec. 21 & 22 T. 5 N. R. 6 W.
40.00	Set a 7 th to post from which
80.00	W. Oak. 18 in. diam. trees. N 1 E. 75 links each; Set a post for the cor. of sec. 15, 16, 21. & 22 from which W. Oak. 12 in. diam. trees. South 117 links each; Sand cut and timber same as last mile.
East	Quadrangle line between Sec. 15 & 22 T. 5 N. R. 6 W.
40.00	Set a temporary 7 th to post
80.00	Intersect the N 75 line 14 links South of the post cor. of Sec. 14, 15, 22 & 23. Sand rolling; timber some Oak & Maple.
North	Between Sec. 15 & 16 T. 5 N. R. 6 W.
40.00	Set a 7 th to post. No timber nigh.
56.00	Prarie
80.00	Set a post for the cor. of Sec. 9, 10, 15 & 16 from which W. Oak. 18 in. diam. trees N 43 E. 125 links each; & 5 Do. 12 " " " S. 57 E. 132 " " Sand low.
East	Quadrangle line between Sec. 10 & 15 T. 5 N. R. 6 W.
5.00	To timbered land.
40.00	Set a temporary 7 th to post
79.82	Intersect the N 75 line 12 links South of the post cor. of Sec. 10, 11, 14 & 15. Sand some as last mile.
West	Quadrangle line between Sec. 10 & 15 T. 5 N. R. 6 W.
39.91	Set the temporary 7 th to post at an oak on the line from W. Oak. 8 in. diam. trees. N 43 E. 19 links each; & 5 Do. 6 " " " N 16 E. 20 " "
79.82	To the post cor. of Sec. 9, 10, 15 & 16.

T. 1. 5 N. R. 10. 6 W. 2nd Mer. Sec.

North	Return Sec 9 & 10. T. 5 N. R. 6 W.
40.00	Set a 7 th sap post in prairie
80.00	Set a post for the cor of sec. 34. 9 & 10 in the prairie
East	Run a line between Sec. 3 & 10. T. 5 N. R. 6 W.
40.00	Set a transport 7 th sap post in prairie
60.00	Line true
79.80	Intersect the N. & S. line 20 links West of the post cor. of sec. 2, 3, 10 & 11. Sec. 10 & 11.
West	Run the line between Sec. 3 & 10. T. 5 N. R. 6 W.
39.90	Set the transport 7 th sap post at an. end in the line.
79.80	Set the post cor of sec. 3, 4, 9 & 10.
North	Return Sec. 3 & 4. T. 5 N. R. 6 W.
21.00	To timber line.
40.00	Set a transport 7 th sap post from which Hick 10 in. diam. trees. N 15 E. 7 links north, & 3 B. Oak 6" " " S 72 E. 29" " "
67.00	To a Pond 4 chs. more. Corner E & W.
78.00	Intersect the N. & S. boundary 33 links West of the post cor of sec. 33 & 34. T. 6 N. R. 6 W. and set a post for the cor of sec. 3 & 4. from which Hick 90 in. diam. trees. N 84 E. 23 links north, & 2 Sugar. 12" " " N 25 W. 23" " "
	Sand bar timber Elm, Ash Oak & Hick
West	Run the South Boundary of Sec. 33. T. 5 N. R. 6 W.
40.00	Set a 7 th sap post
80.00	Set the old cor of sec. 32 & 33 Sec. 10 & 11; Timber Elm, Ash, Oak, Hick
North	Return Sec. 32 & 33. T. 5 N. R. 6 W. by Stubbs & Jordan

15.27	To a Neak 10 in. diam. stands in the line.
35.00	To Swamp
40.00	Set a 1/4 sa post in Swamp.
55.00	Here the water is so deep that I can make no farther Water continues to the Boundary line.
North	Between Sec. 32 & 33. T. 5 N. R. 6 W. by Hensie.
40.00	Set a 1/4 sa post in
78.55	To a Neak 18 in. diam. stands in the line.
80.00	Set a post for the cor of sec. 28, 29, 32 & 33 from which Hog made 8 in. diam. beam. S 24 N. 18 links each; 1/4 Elm. 9 " " S 85 W. 17 " " Saw the same.
East	On a Mauden line between Sec. 28 & 33. T. 5 N. R. 6 W.
40.00	Set a temporary sa post
80.10	Intersect the N. 5 line. at the post cor of sec. 27, 28 33 & 34. Some rails and timber come as last mile.
West	On the true line between Sec. 28 & 33. T. 5 N. R. 6 W.
40.05	Set the temporary sa post at an. dash on the true line from which as Hog made. 6 in. diam. beam. N 82 W. 21 links each and as Elm. 12 " " " N 62 E. 10 " " 80.10 To the post cor of sec. 28 29, 32 & 33
North	Between Sec. 28 & 29. T. 5 N. R. 6 W.
40.00	Set a 1/4 sa post from which as Neak 10 in. diam. beam. S 15 W. 18 links each; 1/4 Ho. 10 " " " N 24 E. 19 " "
80.00	Set a post for the cor of sec. 20, 21, 28 & 29 from which as Neak 9 in. diam. beam. S 82 E. 11 links each; 1/4 Ho. 10 " " " N 27 E. 37 " " Saw the same.

T. N. 5 N. R. N. 6 W. 2nd Mer. Ind.

East On a Random line between Sec. 21 & 28 T. 5 N. R. 6 W.
 40.00 Set a temporary 7/4 la post.
 49.80 Intersect the N & S line 18 miles South of the post cor of
 Sec. 21, 22, 27, & 28.
 Secs do very wet; Timber Elm, Maple & Burr. 1,

North Between Sec. 20 & 21 T. 5 N. R. 6 W.
 25.00 To a Prairie
 40.00 Set a 7/4 la post in the prairie
 57.00 To timbered land.
 80.00 Set a post for the cor of sec. 16, 17, 20 & 21 from which,
 N. 10 W. 10 in. clear. trees. S 74 N. 35 miles N. 10 W. 70 " "
 79 Oct. 20 " " N. E. 70 " "
 Sandstone Timber Oak & Hickory.

East Between Sec. 16 & 21 T. 5 N. R. 6 W. On a Random line
 40.00 Set a temporary 7/4 la post.
 80.00 Intersect the N & S line 10 miles North of the post cor of
 15, 16, 21 & 22 Secs do wet and very thinly timbered

West On the true line between Sec. 16 & 21 T. 5 N. R. 6 W.
 40.00 Set the temporary 7/4 la post at av. dist on the true line from
 which an Elm. 12 in. clear. trees North 80 miles east,
 80.00 To the post cor of sec. 16, 17, 20 & 21.

North Between Sec. 16 & 17 T. 5 N. R. 6 W.
 40.00 Set a 7/4 la post from which a
 73 Oak. 20 in. clear. trees S 66 E. 27 miles east; R.
 No. 10 " " " S 81 N. 30 " "
 60.00 To Prairie
 80.00 Set the post for the cor of sec. 8, 9, 16 & 17 in prairie.

East On a Random line between Sec. 9 & 16 T. 5 N. R. 6 W.

25.00 To timbered land;
 40.00 Set a temp. 7/4 sap post
 66.00 To a Pond. 4 ch. min.
 79.85 Set out the N 75 W line 8 links South of the post cor of
 Sec. 9 10. 15 & 16.

West On the true line between Sec. 9 & 16. T. 5 N. R. 6 W.
 39.927 Set the temp. 7/4 sap post at an ash on the true line from
 which a W Oak, 18 in. diam. bears S 88 E. 3.50 links dist.
 79.85 To the post cor of sec. 8. 9. 10 & 17.

North Between Sec. 8 & 9 T. 5 N. R. 6 W.
 35.00 To timbered land.
 40.00 Set a 7/4 sap post from which a
 W Oak, 8 in. diam. bears N 30 E. 30 links dist. to
 Co. 10 " " " N 59 E. 43 " "
 60.50 To a Pond 100 links E & W. Run West in a large pond.
 80.00 Set a post for the cor of sec. 4, 5, 8 & 9. From which an
 ash, 12 in. diam. bears N 23 W 38 links dist. to
 Co. 10 " " " S 6 W. 35 " "
 Run the line between Ash, Hickory Gum. & Elm.

East On a true line between Sec. 4 & 9 T. 5 N. R. 6 W.
 40.00 Set a temp. 7/4 sap post.
 43.00 To a Wet prairie
 60.00 " " Timbered land.
 73.00 To Prairie
 80.00 Set out the N 75 W line 10 links South of the post cor
 of sec. 3, 4, 9 & 10. Run the same as last mile.

West On the true line between Sec. 4 & 9. T. 5 N. R. 6 W.
 40.00 Set the temp. 7/4 sap post at an ash on the true line from
 which a W Oak, 20 in. diam. bears N 59 E. 48 links dist.

24

I No 5 N R 6 W 2nd Mer. Ind.

Edw. 20 ch. deer trees. N 31 W. 36 huts each, ✓
 80.00 Set a post cross for 4, 5, 8 & 9.

North Return Lat. 4. & 5. I 5 N R 6 W.

26.25 To a Creek. 75 huts each, 100000 W.

40.00 Set a 7th to post.

43.50 To a Buckeye. 10th ch. deer. It runs in the line. on the
 Left Bank of W River.

South Return Lat. 4 & 5. I 5 N R 6 W.

6.30 To an Ironwood (To an Ironwood) 6th ch. deer. It runs for cross for 4 & 5
 on the Right Bank.

North Return Lat. 31 & 32 I 5 N R 6 W. by Shotts & Fother

25.00 To a long land. 25 chains each.

40.00 Set a 7th to post from which a

Red Oak. 6th ch. deer trees. N 81 W. 54 huts each, 4th

Heik 7.4 " " " 46 N. 6 " "

80.00 Set a post for the cross for 29 30. 31 & 32 in a large
 wet barrens from which a

Heik 7th 10th ch. deer trees. - 37 W 100 huts each.

North Return Lat. 31 & 32 I 5 N R 6 W by A. Hennin

40.00 Set a 7th to post

80.00 Set a post for the cross for 29. 30. 31 & 32 from which
 no timber high

Each Return Lat. 29 & 32 I 5 N R 6 W by Shotts & Fother

33.00 To a large pond or Swamp; New Sen go no far-
 ther. Under but not barrens or prairie. This
 large Swamp covers all that part of this fraction
 under the water is so deep that the remainder of the line
 cannot be run at this season of the year.

March. 20 1805.

25

T. N. 5 N.R. N. 6 W. 2nd Mer. Ind.?

East Return Sat 29 1830 T. 5 N.R. 6 W. On River
 via by Arthur Henrie & Co.
 5.00 Some Timber
 30.00 To a Pond 12 ch. mds.
 40.00 1/4 sa cor in the pond.
 80.00 Situate at the N.E. end 8 miles South of the post cor.
 of lat. 28.29.30 & 33.
 Land not timbered Oak & Gum.

West On the river between Sat 29 1830. T. 5 N.R. 6 W.
 40.00 Set the trap? 1/4 sa post at av. dist on the river.
 80.00 To the post cor of lat. 29.30.31 & 32.

West Return Sat 30 1831. T. 5 N.R. 6 W. by Stubbs & Fenton.
 40.00 Set a 1/4 sa post from which
 W Oak 15 in. clear trunk. N 21 E. 18 miles north; &
 Height 14 " " " N 79 E. 56 " "
 79.88 Situate at the West Boundary 33 miles South of the
 post cor of lat. 25 1836. T. 5 N.R. 7 W.
 Post is not maine Land not; some Oak & Hickory.

North Return Sat 29 1830 T. 5 N.R. 6 W.
 40.00 Set a 1/4 sa post from which
 W Oak 12 in. clear trunk. N 4 E 202 miles north; &
 80.00 Set a post for the cor of lat. 19.20.29 1830 from which,
 W Oak 22 in. clear trunk. N 56 W. 230 miles north; &
 No. 20 " " " N 59 E. 190 " "
 Land not barren. Scattering Oak & Hickory.

North Return Sat 29 1830 T. 5 N.R. 6 W. by A. Henrie.
 40.00 Set a 1/4 sa post
 77.00 To Timbered Land.
 80.00 Set a post for the cor of lat. 29.20.29 1830 from which.

T. N. 5 N. R. N. 6. W. 2nd Mer. Ind.

Chm. 10 in. diam. trees. N 80 W. 131 trees each; 75
 W. Oak. 8 " " " S 80 E. 71 " "
 Same the same as above.

Cash Return Jan. 20 1829 T. 5 N. R. 6 W. by Sticks & Fences.
 12.00 To the Swamp & the water to deep I can make no further.

Cash Return Jan. 20 1829 T. 5 N. R. 6 W. by A. Morris.
 On a Prairie line.
 25.00 To Timbered land.
 40.00 Set a trap 1/4 a post
 79.60 Intersub the N 73 line. 30 miles South of the post cor of
 Jan. 20. 21. 28 1829.
 Same as the Swamp.

Wash On the same line between Jan. 20. 1829 T. 5 N. R. 6 W.
 39.80 Set the trap 1/4 a post from which
 W. Oak. 10 in. diam. trees. N 71 W. 23 trees each; 75
 Chm. 20 " " " N 62 E. 16 " "
 79.60 To the post cor of Jan. 19. 20. 29 1830

Wash Return Jan. 30 1831 T. 5 N. R. 6 W. by Morris
 20.00 Same timber
 40.00 Set a trap 1/4 a post
 58.00 To Prairie
 83.10 Intersub the West Boundary in the prairie

Wash Return Jan. 19 1830 T. 5 N. R. 6 W. by Sticks & Fences
 17.00 Dry lands & Timber.
 25.00 To a Broken Region of Swamp 200 trees each,
 Same S 30 W.
 37.00 To a thick 20 in. diam. Woods in the line
 40.00 Set a trap 1/4 a post from which

T. N. 5 N. R. N. 6 W. 2 W. 2nd Sec. 2nd

27

13 Oak 16 in. diam. bears. N46 E. 32 links east; 85
 Hickory 13 " " S30 W 18 "
 58.56 To a Oak 18 in. diam. stands in the line.
 60.00 To a large body of water passing through the woods
 Round South. Some Oak & Hickory

North Return Sur. 19 & 20 T. 5 N. R. 6 W. by Stubble & Fowler
 2.50 To a Point 300 links west, corner N30 W.
 22.00 " Dry land
 28.75 Set a post on Town and Line for the cor. of Sur. 19 & 20 from
 which a Hickory 7 in. diam. stands. S34 W. 26 links east; 85
 Lo. 6 " " " N80 E. 14 " "
 Land not yet farmed. Water from 3/4 to 1 1/2 inches deep
 North Return Sur. 19 & 20 T. 5 N. R. 6 W. by A. Henric.
 38.00 To a Hickory 12 in. diam. stands in the line.
 40.00 Set a 1/4 section post from which
 N. Oak 10 in. diam. stands. N56 E. 49 links east; 85
 Lo. 12 " " " S11 E. 58 " "
 80.00 Set a post for the cor. of Sur. 17, 18, 19 & 20 from which
 13 Oak 20 in. diam. stands. N82 W - links east; 85
 Lo. 12 " " " N40 E. 10 " " "
 Land not yet farmed; Some Oak & Hickory.

East Return Sur. 17 & 20 T. 5 N. R. 6 W.
 40.00 Set a temporary 1/4 section post
 80.00 Intersect the N & S line 10 links South of the first cor.
 Sur. 16, 17, 20 & 21
 Land rolling and bushy. Some Oak & Hickory

West Across the line between Sur. 17 & 20 T. 5 N. R. 6 W.
 40.00 Set the temporary 1/4 section post at av. dist. in the new line from which
 a 13 Oak 20 in. diam. stands. S72 W. 52 links east; 85
 Lo. 20 " " " N87 W 38 " "

T. N. 5 N. R. No. 6 W 2nd Mer. Ind.

80.00 To the post cor of sec. 17, 18, 19 & 20.

Wash Return Sec 18 & 19 T. 5 N. R. 6 W

40.00 Set a 7th sap post from which

Elm. 12 in. diam. band West 33 links out;

84.20 Intersect the West Boundary 170 links South of the post cor of sec. 13 & 24 T. 5 N. R. 7 W. and set a post for the cor of sec. 18 & 19 from which

Maple. 20 in. diam. band S 29 W. 13 links out; & 3

Blackberry 6 " " " N 22 E. 12 " "

Sands herb; Timber Blackberry. Oak & 3.

Wash Return Sec 19 & 20 T. 5 N. R. 6 W by A. Henn.

15.00 To Timbered land;

40.00 Set a 7th sap post from which

W Oak. 12 in. diam. band S 43 W. 22 links out; & 3

69.50 To a Pond 50 links N & S.

84.00 Intersect the West Boundary 193 links South of the post cor of sec. 22 & 23 24 & 25 T. 5 N. R. 7 W. and set a post for the cor of sec. 19 & 20 from which

W Oak. 10 in. diam. band S 72 E. 22 links out; & 3

Elm. 9 " " " N 37 W. 4 " "

Sands herb; Timber Oak & Hickory.

North Return Sec 17 & 18 T. 5 N. R. 6 W

5.00 To Prairie

40.00 Set a 7th sap post from which

W Oak. 10 in. diam. band North 154 links out.

42.00 To Timber

84.00 Set a post for the cor of sec. 7, 8, 17 & 18 from which

Hickory 12 in. diam. band N 78 E. 19 links out; & 3

Sassafras 15 " " " S 30 W 29 " "

Sands the same as last mile.

29

T. No 5 N.R. No 6 W. 2nd Mer. Ind.

Cash On a Random line between Ind. 8 & 17 T. 5 N.R. 6 W
 10.00 To Prairie
 40.00 Set a temporary 1/4 section
 80.00 Intersub the N 15 line 20 links north of the post cor.
 of Ind. 8. 9. 16 & 17.

Wash On the same line between Ind. 8 & 17 T. 5 N.R. 6 W
 40.00 Set the temporary 1/4 section at an. end on the same line.
 80.00 To the post cor of Ind. 7. 8. 17 & 18.

Wash Between Ind. 7 & 18 T. 5 N.R. 6 W
 40.00 Set the 1/4 section from which
 Sugar. 12 in. diam. beam. S 74 W. 26 links each; 15
 Mulberry 8 " " " N 23 E. 34 " "
 41.50 Set a post on the Left Bank of White River. from which
 Maple. 9 in. diam. beam. S 31 W. 19 links each; 15
 Do. 10 " " " S 66 E. 30 " "
 Spruce oak; Sugar, Ash, &c.
 The part of this line West of the River seems to be omitted

North Between Ind. 7 & 18 T. 5 N.R. 6 W.
 40.00 Set a 1/4 section from which
 Oak. 10 in. diam. beam. N 41 E. 4 links each; 15
 Do. 10 " " " N 88 W. 26 " "
 80.00 Set a post for the cor of Ind. 5, 6, 7 & 8. from which
 Walnut. 12 in. diam. beam. S 84 E. 11 links each; 15
 Mulberry 8 " " " S 44 W. 27 " "
 Spruce the same as last mile.

Cash Between Ind. 5 & 8 T. 5 N.R. 6 W On a Random
 20.00 To a Pond 17 chains N.W.
 40.00 Set a temporary 1/4 section
 43.50 To a Pond 75 links near, Corner N 15.

T. No. 5 N.R. N. 67. 2nd M. Ind.

79.96. Intersect the N & S line 25 links South of the first cor. of sec 4, 5, 8 & 9.

Grass Rich Timber Red, Sugar, Elm &c.

West North line between Sec 5 & 8. T 5 N R 6 W

39.98 Set the trumpet in a post at an. dist on the line from White Hackberry 20 in. dia. base. S 30 E. 7 links each; and a Red Oak. 6 " " " N 5 W 9 " "

79.96 In the post cor of sec 5, 6, 7 & 8.

West Return Sec 6 & 7. T 5 N R 6 W

20.00 Set a post on the Left Bank of White River for the cor of Sec 5 & 6. From which a Buckeye 10 in. dia. base N 51 E 33 the dist

North Return Sec 5 & 6. T 5 N R 6 W

28.31 Set a post on the Left Bank of White River from which a Elm 9 in. dia. base S 45 E 12 links each; &c

No. 6 " " " S 80 W 12 " "

35.57 Set a post on the Right Bank of White River from which a Cottonwood 10 in. dia. base N 39 E 11 links each; &c

Maple 7 " " " N 15 W 28 " "

40.00 Set a post from which

Paw paw 8 in. dia. base N 25 E 10 links each; &c

Ironwood 8 " " " S 13 E 30 " "

75.00 Intersect the N Boundary 65 links West of the post cor. of sec 31 & 32 T 6 N R 6 W and set a post for the cor of Sec 5 & 6. From which

Natural Cor. dia. base S 23 E 6 links each; &c

Hickory 12 " " " N 44 W 5 " "

Grass rich Timber Hackberry, Natural, Ash &c.

T. N. 5 N.R. N. 6 W. 2nd Mer. Ind.

Meanders of White River Commencing in the East Boundary of Sec. 13. T. 5 N.R. 7 W. thence up stream on the Right Bank in Sec. 18. T. 5 N.R. 6 W.

N 70 E 9.00

N 83 E 24.00

N 33 E 9.00

N 24 W 6.00 To the line between Sec. 7 & 18.

N 24 W 46.00 To the old channel. Left Bank.

N 24 W 15.00 " " Right Bank of old channel.

N 22 E 8.50

N 56 E 19.50 To old channel in Sw. 7.

N 56 E 9.00 To the opposite side of old channel.

N 69 E 16.00

N 37 E 8.50 To the point on line between Sec. 6 & 7.

N 13 W 9.50

N 30 W 29.00

N 12 E 13.50 In Sw. 6.

N 69 E 15.00

N 59 E 34.00 To the cor. of sec. 5 & 6.

East 13.00

N 65 E 35.00

N 76 E 26.00

N 57 E 10.00

N 8 W 6.00

N 42 W 24.00 To the N.B. corner of Sec. 5. T. 5 N.R. 6 W.

Meanders of the Left Bank of White River Commencing in the East Boundary of Sec. 13. T. 5 N.R. 7 W. thence up stream on Left Bank in Sec. 18

T. N. 5 N. R. N. 6 T. 2nd Mer. Ind.

N64 E. 14.50

S73 E. 15.00

N86 E. 7.50

N50 E. 12.50

Nuth 9.00

N24 W. 3.36. To the post on the line between Sec. 7 & 18.

N. 24 W. 28.00

N8 W. 11.50

N45 W. 8.50

N58 W. 9.50 To where White River broke across.

Nuth 8.00

N55 E. 21.50 To a point 25 miles up, where the River commenced

N64 E. 14.00 } To go across the bend

N80 E. 11.50

N31 E. 14.00. To the post cor. of sec. 6 & 7.

N15 W. 10.00

N29 W. 31.50

N40 E. 10.50

S70 E. 5.00

S48 E. 16.00

S72 E. 15.50. To post on line between Sec. 5 & 6.

S84 E. 12.00

N60 E. 39.00

S75 E. 22.50

N76 E. 13.50 To the post on line between Sec. 4 & 5.

N22 E. 14.50

N29 W. 13.50 To the post on line between Sec. 4 & 5.

N52 W. 11.00 To the N Boundary of Sec. 5 T. 5 N. R. 6 W.

T. N. 5. N. 6. W. 2nd Mer. Ind.

Surveyed by Stolls & Fowler.
Arthur Henric. D.

North Return Sec. 25 T26 T. 5 N. R. 6 W. by Stolls & Fowler
3.00 Soil Branch 25 links wide, source W.
12.00 Set a post for the cor. end. 25 T26. From station Red Oak.
4 in dia. brass. N 65 E 11 lbs. ash, 7 in dia. N 27 E 25 lbs.
Lard Swamp, Maple, Elm, Oak.
Omitted in its proper place.

I certify that the foregoing Transcript of the field
notes of Township N. 5 North of Range N. 6 West
of the 2nd Principal Meridian Indiana, has been
compared with the original notes in this Office, & found
to be correct.

Surveyor General's Office.

Cincinnati, May 28. 1846.

E. S. Warner
Sur. Genl.

The following line was not entered in its proper place
in the field book & was therefore omitted in transcribing

East On a line from line between Sec. 26 T35 T. 5 N. R. 6 W.
40.00 Set a trap 1/4 sec post
80.00 Return at the N 75' line 14 miles South of the trap
Post cor of Sec. 25, 26. 35 T36.
Line with Timber Neckberry, Walnut, &c.

T. N. 5 N. R. N. 6 W. 2nd Mer. Ind.

West Cut the line between Sec. 26 & 35. T. 3 N. R. 6 W.
 40.00 Set the temp. $7\frac{1}{4}$ to post at an arch over the line
 from which
 Cottonwood 10 in. diam. bend. N 79 E. 10 1/2 mi. N. 1/2
 Ash. 8 " " " S 36 W 13 "
 80.00 To the post corner 26 27 34 & 35.

East On Range between Sec. 23 & 26

40.00 Set temp. of Sec. post

80.15 Intersected the N & S. line 12 mi. S. of post

Over ground that is covered with water
 timber, Elm, Ash &c.

(Corrected line omitted)